Government of Saskatchewan
Ministry of Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 13, August 1, 2013

For the Period July 23 to 29, 2013

Haying progress continues for Saskatchewan livestock producers with 82 per cent of the 2013 hay crop cut and 60 per cent baled or put into silage, according to Saskatchewan Agriculture's weekly Crop Report.

Rain was reported in most areas during the past week, which has reduced hay quality in the swath. Seventy per cent of the provincial hay crop is rated as good in quality.

The majority of crops are in good to excellent condition. Eighty-four per cent of spring wheat, 82 per cent of canola, 81 per cent of lentils and 88 per cent of peas are in good to excellent condition.

One year ago

Eighty-eight per cent of the 2012 provincial hay crop was cut and 76 per cent was baled or put into silage. Producers were starting to harvest winter cereals and pulse crops in some areas of the province.

Follow the 2013 Crop Report on Twitter @SKGovAg

Most parts of the province received varying amounts of rain last week ranging from trace to 43 mm. Disease, insects and localized flooding caused the majority of crop damage. Grasshoppers and bertha armyworm have been reported in some areas.

Across the province, topsoil moisture on crop land is rated as nine per cent surplus, 78 per cent adequate, 12 per cent short and one per cent very short. Hay land and pasture topsoil moisture is rated as seven per cent surplus, 80 per cent adequate and 13 per cent short.

Farmers are busy haying, controlling insects and getting ready for harvest.

SK (provincial) Crop conditions - July 29, 2013

	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	19	25	24	34	20	21	24
% good	58	51	60	54	66	63	64
% fair	18	23	14	12	11	15	11
% poor	4	1	2	0	2	1	1
% very poor	1	0	0	0	1	0	0
	Canola	**Mustard**	**Pea**	**Lentil**	**Canaryseed**	**Chickpea**	**Sunflower**
% excellent	20	36	28	18	14	24	N/A
% good	62	55	60	63	68	61	N/A
% fair	16	9	11	16	17	14	N/A
% poor	2	0	1	3	1	1	N/A
% very poor	0	0	0	0	0	0	N/A

For further information, contact: Daphne Cruise, PAg,
Regional Crop Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

Cooler than normal temperatures during the past week slowed crop development. Crop reporters have indicated very low nighttime temperatures for this time of year. The Odessa area reported a low of 4 C on July 26. Most areas continue to receive rain, which has made haying difficult. Because of heavy morning dew, cutting is usually delayed until early afternoon. There has been some loss of hay quality in the swath due to rain.

The cooler weather has allowed crops to flower longer, and if day time temperatures warm up, there is potential for good crop yields with the moisture received. Crop development ranges from heading in cereals to podding in pulses and oilseeds. Some areas are reporting very wet crop and hay land conditions and crops are showing signs of excess moisture stress. Rainfall recorded in the region ranged from nil to 29 mm (Redvers area).

Topsoil moisture conditions on cropland are rated as 17 per cent surplus, 78 per cent adequate and five per cent short. Hay land and pasture moisture is rated as 15 per cent surplus, 80 per cent adequate and five per cent short. Crop district 1A is reporting 41 per cent and 35 per cent of cropland and hay acres, respectively, have surplus topsoil moisture.

Livestock producers have 73 per cent of the hay crop cut and 50 per cent has been baled or put into silage. Hay quality is rated as 11 per cent excellent, 63 per cent good and 26 per cent fair.

The majority of crop damage is due to insects, wind and flooding. The Kisbey and Stoughton areas reported severe hail damage. Pastures are remaining green due to the moisture. Producers are busy haying and controlling insects in crops.

Southeast							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	23	34	24	33	14	27	18
% good	58	44	57	48	67	59	69
% fair	15	21	18	19	13	13	12
% poor	4	1	1	0	2	1	1
% very poor	0	0	0	0	4	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	19	32	17	11	5	0	N/A
% good	66	55	67	48	68	68	N/A
% fair	14	13	14	33	25	24	N/A
% poor	1	0	2	8	2	8	N/A
% very poor	0	0	0	0	0	0	N/A

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

Crop and hay conditions vary in the southwest region, depending on precipitation received in the last few weeks. Most producers are looking for some rain to push the crop closer to harvest. Cooler temperatures have slowed crop advancement this past week. Precipitation in the area ranged from nil to 36 mm (Bengough area).

Cropland topsoil moisture is rated as one per cent surplus, 84 per cent adequate, 13 per cent short and two per cent very short. Hay land and pasture topsoil moisture is rated as one per cent surplus, 81 per cent adequate and 18 per cent short. Crop district 4A and 4B are reporting 15 and 33 per cent short of topsoil moisture on cropland, respectively.

Livestock producers have 87 per cent of the hay crop cut and 63 per cent has been baled or put into silage. Hay crop quality is rated as four per cent excellent, 73 per cent good and 23 per cent fair.

Disease, hail and insects have caused the majority of crop damage. Hail damage was reported in the Bengough, Lisieux, Assiniboia, Cabri and Tyner areas. Some areas are reporting pulse crops are starting to turn.

Farmers are busy haying and getting harvest equipment ready.

Southwest							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	19	25	27	35	6	24	33
% good	50	52	61	55	78	68	57
% fair	22	23	12	10	16	8	10
% poor	5	0	0	0	0	0	0
% very poor	4	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	30	34	32	17	9	26	N/A
% good	56	58	58	67	68	59	N/A
% fair	13	8	10	14	21	15	N/A
% poor	0	0	0	2	2	0	N/A
% very poor	1	0	0	0	0	0	N/A

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

Warmer temperatures are needed to help advance crops. Over the past couple of weeks, cooler than normal nighttime temperatures have slowed crop development. Temperatures at night have dipped to 5 C. However, the cool weather has extended flowering of crops in most cases, resulting in the potential for good yields. Frequent rain showers have slowed haying progress and hay in the swath is losing quality. Precipitation recorded ranged from nil to 36 mm (Quill Lake area).

Cropland topsoil moisture is rated as four per cent surplus, 94 per cent adequate and two per cent short. Hay land and pasture topsoil moisture is rated as two per cent surplus, 94 per cent adequate and four per cent short.

Livestock producers now have 77 per cent of the hay crop cut and 55 per cent baled or put into silage. Hay quality is rated as six per cent excellent, 66 per cent good, 26 per cent fair and two per cent poor.

The majority of crop damage this week is due to flooding and disease. Ascochyta and sclerotinia in pulses and smut in cereals has been reported in some areas. Winter cereals are starting to turn.

Farmers are busy haying and getting equipment ready for harvest.

East-central							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	10	10	26	33	19	21	32
% good	59	59	64	59	70	69	57
% fair	22	29	10	8	10	9	10
% poor	9	2	0	0	1	1	1
% very poor	0	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	20	46	38	34	20	N/A	N/A
% good	67	48	53	55	62	N/A	N/A
% fair	12	6	9	11	18	N/A	N/A
% poor	1	0	0	0	0	N/A	N/A
% very poor	0	0	0	0	0	N/A	N/A

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7 – Rosetown, Kindersley, Eston, Major, Kerrobert, Macklin, Wilkie and Biggar areas)

Most areas of the region recorded very little rainfall for the week. Crop reporters have indicated conditions are still quite dry and crops need moisture to help with filling, especially the later seeded crops and those on lighter soil. Crops are slowly advancing in the cool weather. Nighttime temperatures were recorded at 4 C for a couple of nights. Rainfall reported in the past week ranged from nil to 20 mm (Luseland area).

Topsoil moisture conditions are rated as three per cent surplus, 56 per cent adequate, 38 per cent short and three per cent very short on cropland. Hay land and pasture topsoil moisture conditions are rated as four per cent surplus, 49 per cent adequate, 44 per cent short and three per cent very short. Crop District 7B is reporting 50 and 42 per cent short of topsoil moisture on cropland and hay, respectively.
The west-central region is furthest along in haying operations. Most of the region missed heavy rain allowing haying operations to progress. There is still heavy dew in the morning so most of the cutting starts in the afternoon. Livestock producers have 90 per cent of the hay crop cut and 77 per cent baled or put into silage. Hay quality is rated as 15 per cent excellent, 80 per cent good and five per cent fair.

Very little crop damage was reported in the region. Dry conditions and disease (smut, sclerotinia and ascochyta) are causing the majority of crop stress.

Producers are busy haying and getting ready for harvest.

West-central							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	24	33	27	29	29	27	29
% good	73	50	58	61	56	56	60
% fair	3	17	15	10	14	17	11
% poor	0	0	0	0	1	0	0
% very poor	0	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	30	44	31	22	28	N/A	N/A
% good	57	49	60	68	67	N/A	N/A
% fair	13	7	8	8	5	N/A	N/A
% poor	0	0	1	2	0	N/A	N/A
% very poor	0	0	0	0	0	N/A	N/A

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Crops are in good condition for the most part, although some heat is needed to advance maturity of the crops. Haying progress has slowed due to rain interruptions. There are reports of hay quality loss in the swath due to moisture. Some areas are indicating very wet field conditions and crops are showing signs of excess moisture stress. Most areas recorded rain this past week. Rainfall in the region ranged from two to 43 mm (Garrick area).

Topsoil moisture on cropland is rated as 30 per cent surplus, 69 per cent adequate and one per cent short. Topsoil moisture on hay land and pasture is reported as 26 per cent surplus and 74 per cent adequate. Crop districts 8A and 9AE are reporting 45 and 50 per cent of their respective cropland acres to have surplus moisture.

Livestock producers now have 79 per cent of the hay crop cut and 58 per cent baled or put into silage. Hay quality is rated as 12 per cent excellent, 75 per cent good and 13 per cent fair.

Most crop damage this week is attributed to flooding and disease. Many crops are being sprayed with fungicides.

Producers are busy haying, controlling disease and hauling grain.

Northeast							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	5	4	20	5	22	14	17
% good	72	48	50	50	56	50	66
% fair	14	41	21	35	15	29	15
% poor	9	7	8	5	6	4	2
% very poor	0	0	1	5	1	3	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	14	N/A	12	N/A	7	N/A	N/A
% good	50	N/A	60	N/A	72	N/A	N/A
% fair	27	N/A	18	N/A	19	N/A	N/A
% poor	8	N/A	8	N/A	1	N/A	N/A
% very poor	1	N/A	2	N/A	1	N/A	N/A

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

Crops are looking good in the region for the most part, although crop development is behind due to cool weather over the past couple of weeks. Four degrees Celsius was reported for a couple of nights. Some heat and sunshine would be appreciated to continue with haying operations and advance the crop. Precipitation ranged from nil to 28 mm (Pierceland area).

Topsoil moisture on cropland is rated as two per cent surplus, 86 per cent adequate and 12 per cent short. Topsoil moisture on hay land and pasture is reported as three per cent surplus, 85 per cent adequate and 12 per cent short.

Livestock producers made good progress with haying during the past week. Eighty-four per cent of the hay crop is cut and 59 per cent baled or put into silage. Hay quality is rated as 23 per cent excellent, 69 per cent good and eight per cent fair.

The majority of crop damage this week is attributed to insects and flooding. Grasshoppers have been reported in the Barthel, Meadow Lake, Dorintosh and Pierceland areas.

Producers are busy haying, hauling grain and cleaning bins.

Northwest							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	6	4	17	N/A	27	13	36
% good	84	86	74	N/A	70	79	54
% fair	10	10	7	N/A	3	7	10
% poor	0	0	2	N/A	0	1	0
% very poor	0	0	0	N/A	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	14	N/A	23	N/A	N/A	N/A	N/A
% good	76	N/A	63	N/A	N/A	N/A	N/A
% fair	8	N/A	10	N/A	N/A	N/A	N/A
% poor	2	N/A	3	N/A	N/A	N/A	N/A
% very poor	0	N/A	1	N/A	N/A	N/A	N/A

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending July 29, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: July 31, 2013

© 2013 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period July 23 to 29, 2013

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	N/A	244
	3	Enniskillen	20	359
	33	Moose Creek	21	241
	34	Browning	N/A	177
	61	Antler	29	474
	63	Moose Mountain	17	310
	64	Brock	19	202
	65	Tecumseh	8	285
1B	91	Maryfield	20	231
	92	Walpole	N/A	80
	122	Martin	20	345
	123	Silverwood	19	278
	124	Kingsley	2	170
	125 A	Chester	NIL	220
	125 B	Chester	3	213
	151 A	Rocanville	23	258
	151 B	Rocanville	5	226
	153	Willowdale	N/A	N/A
	154	Elcapo	NIL	258
	155 A	Wolseley	2	247
	155 B	Wolseley	N/A	204
2A	67	Weyburn	N/A	259
	68	Brokenshell	5	295
	97	Wellington	4.5	168
	99	Caledonia	N/A	N/A
2B	127 A	Francis	1.5	245
	127 B	Francis	0.2	191
	129	Bratt's Lake	2	193
	131 A	Baildon	1	274
	131 B	Baildon	N/A	257
	156 A	Indian Head	NIL	231
	156 B	Indian Head	N/A	327
	160 A	Pense	NIL	251
	160 B	Pense	N/A	214
	161	Moose Jaw	3	254
	162	Caron	2	215
	191	Marquis	NIL	143
3ASE	38 A	Laurier	8.6	310
	38 B	Laurier	11	248
	39 A	The Gap	12	237
	39 B	The Gap	5	281
3ASW	10	Happy Valley	13	216
	11	Hart Butte	N/A	205
	12	Poplar Valley	N/A	213
	40 A	Bengough	N/A	258
	40 B	Bengough	36	367
	42	Willow Bunch	20	231
	43 A	Old Post	11	280
	43 B	Old Post	N/A	N/A
	70	Key West	N/A	84
	71	Excel	15	208
	72 A	Lake of the Rivers	N/A	N/A
	72 B	Lake of the Rivers	5.5	8
	73 A	Stonehenge	10.3	292
	73 B	Stonehenge	4	254
	74 A	Wood River	10	259
	74 B	Wood River	N/A	3
	74 C	Wood River	N/A	N/A
3AN	101	Terrell	4	205
	102	Lake Johnston	6.3	155
	103 A	Sutton	14	214
	103 B	Sutton	N/A	N/A
	132 A	Hillsborough	14	245
	132 B	Hillsborough	2	255
	134	Shamrock	7	261
	164 A	Chaplin	17.5	192
	164 B	Chaplin	N/A	N/A
	193 A	Eyebrow	N/A	160
	193 B	Eyebrow	10	204
	194	Enfield	N/A	N/A
	224	Maple Bush	1	184
3BS	17 A	Val Marie	N/A	294
	17 B	Val Marie	N/A	N/A
	45	Mankota	N/A	337
	75 A	Pinto Creek	N/A	207
	75 B	Pinto Creek	N/A	257
	76	Auvergne	11	219
	77	Wise Creek	12	290
	78 A	Grassy Creek	4	307
	78 B	Grassy Creek	4	262
	105	Glenbain	12	195
	106	Whiska Creek	18	188
	107 A	Lac Pelletier	NIL	209
	107 B	Lac Pelletier	N/A	44
	108	Bone Creek	N/A	287
3BN	138 A	Webb	9	239
	138 B	Webb	0.7	193
	166 A	Excelsior	N/A	233
	166 B	Excelsior	N/A	N/A
	167	Sask. Landing	20	223
	168 A	Riverside	4	208
	168 B	Riverside	12	277
	226 A	Victory	N/A	149
	226 B	Victory	N/A	30
	228	Lacadena	17	206
	255	Coteau	N/A	144
	257	Monet	5	226
4A	19	Frontier	N/A	N/A
	49	White Valley	N/A	203
	51 A	Reno	1.8	179
	51 B	Reno	N/A	N/A
	79	Arlington	16	333
	109	Carmichael	N/A	232
	110	Piapot	1	196
	111	Maple Creek	N/A	215
4B	139	Gull Lake	11	201
	141	Big Stick	5	181
	142	Enterprise	3	228
	169	Pittville	N/A	187
	231	Happyland	NIL	158
5A	183 A	Fertile Belt	3	356
	183 B	Fertile Belt	4.5	275
	186	Abernethy	3	167
	211	Churchbridge	13	249
	213	Saltcoats	5	287
	214	Cana	N/A	25
	216	Tullymet	N/A	174
	217 A	Lipton	N/A	N/A
	241	Calder	N/A	262
	243	Wallace	N/A	273
	245 A	Garry	N/A	233
	245 B	Garry	NIL	218
	245 C	Garry	11	209
	246	Ituna Bon Accord	N/A	194
	247	Kellross	2	224
	248	Touchwood	1	166
5B	271	Cote	5	291
	273	Sliding Hills	11	197
	277	Emerald	NIL	208
	305	Invermay	30	300
	307	Elfros	3	220
	308 A	Big Quill	4	187
	308 B	Big Quill	2	239
	331	Livingston	19	287
	333	Clayton	N/A	39
	334	Preeceville	N/A	171
	336	Sasman	9	170
	337 A	Lakeview	36	237
	337 B	Lakeview	N/A	22
	338	Lakeside	7	229
	366	Kelvington	10	192
	367	Ponass Lake	0.3	201
6A	190 A	Dufferin	3	209
	190 B	Dufferin	3	186
	190 C	Dufferin	NIL	201
	190 D	Dufferin	N/A	42
	190 E	Dufferin	1	68
	219	Longlaketon	3	221
	220	Mckillop	13	269
	221	Sarnia	6.4	233
	222	Craik	4	275
	251	Big Arm	13	255
	252	Arm River	6	261
	279	Mount Hope	NIL	209
	282	McCraney	10	225
	309	Prairie Rose	12	253
	310	Usborne	N/A	N/A
	313	Lost River	N/A	N/A
	339	Leroy	5.2	250
	340	Wolverine	4	294
	341	Viscount	N/A	280
	343 A	Blucher	5	240
	343 B	Blucher	N/A	105
6B	283	Rosedale	N/A	214
	284	Rudy	NIL	201
	285	Fertile Valley	1	162
	286	Milden	56	199
	314	Dundurn	3	219
	344	Corman Park	6	135
	346	Perdue	2	180
	376 A	Eagle Creek	3	139
	376 B	Eagle Creek	3	179
	403 A	Rosthern	4	191
	403 B	Rosthern	N/A	229
7A	259	Snipe Lake	N/A	153
	260 A	Newcombe	N/A	109
	260 B	Newcombe	12	142
	261	Chesterfield	N/A	56
	287	St. Andrews	4	191
	288	Pleasant Valley	2	187
	290 A	Kindersley	8	173
	290 B	Kindersley	N/A	73
	290 C	Kindersley	18	176
	292	Milton	N/A	192
	317 A	Marriott	NIL	115
	317 B	Marriott	NIL	172
	317 C	Marriott	N/A	N/A
	318	Mountain View	5	223
	320 A	Oakdale	10	153
	320 B	Oakdale	1	145
	321	Prairiedale	4	138
7B	347 A	Biggar	NIL	173
	347 B	Biggar	N/A	170
	350 A	Mariposa	3	117
	350 B	Mariposa	5	185
	351	Progress	20	193
	352	Heart's Hill	NIL	279
	377	Glenside	1.5	189
	378 A	Rosemount	1	137
	378 B	Rosemount	3	191
	379	Reford	3	131
	381	Grass Lake	N/A	170
	382	Eye Hill	NIL	193
	409 A	Buffalo	N/A	221
	409 B	Buffalo	N/A	N/A
	410	Round Valley	N/A	132
	411	Senlac	N/A	N/A
8A	396	Porcupine	24	184
	397	Barrier Valley	5.8	194
	428	Star City	16	279
	456	Arborfield	15	243
	457	Connaught	11	272
	458	Willow Creek	18	210
	486	Moose Range	N/A	218
	487 A	Nipawin	20	214
	487 B	Nipawin	N/A	N/A
8B	369	St. Peter	18	202
	370	Humboldt	16	215
	371	Bayne	N/A	280
	372	Grant	15.6	345
	400 A	Three Lakes	N/A	3
	400 B	Three Lakes	18	270
	402	Fish Creek	2	261
	429	Flett's Springs	8	287
	431	St. Louis	N/A	N/A
	459	Kinistino	14	293
	460	Birch Hills	22.2	236
9AE	461	Prince Albert	N/A	22
	488	Torch River	43	283
	491	Buckland	20	304
9AW	406	Mayfield	NIL	191
	435	Redberry	N/A	192
	436	Douglas	NIL	188
	463	Duck Lake	NIL	272
	466	Meeting Lake	N/A	N/A
	467 A	Round Hill	N/A	274
	467 B	Round Hill	NIL	196
	494	Canwood	N/A	N/A
	496 A	Spiritwood	N/A	N/A
	496 B	Spiritwood	NIL	119
	497	Medstead	N/A	244
9B	438	Battle River	N/A	250
	440	Hillsdale	6	212
	442	Manitou Lake	0.5	284
	498 A	Parkdale	N/A	181
	498 B	Parkdale	NIL	167
	499 A	Mervin	N/A	223
	499 B	Mervin	N/A	24
	501 A	Frenchman Butte	NIL	260
	501 B	Frenchman Butte	3	215
	501 C	Frenchman Butte	2	174
	502 A	Britannia	N/A	N/A
	502 B	Britannia	6.5	169
	561	Loon Lake	NIL	188
	588 A	Meadow Lake	N/A	207
	588 B	Meadow Lake	3	260
	588 C	Meadow Lake	NIL	309
	588 D	Meadow Lake	2.5	198
	588 E	Meadow Lake	N/A	N/A
	622	Beaver River	28	226

Municipality No: A, B, C, D and E - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2013
To: July 29, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: July 31, 2013

© 2013 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

July 30, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: July 31, 2013

© 2013 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

July 30, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: July 31, 2013

© 2013 Government of Saskatchewan